


CROSS SECTION OF THRESHOLD



SUBMITTAL

This shower enclosure shall be model SST 3838 BF .625, right, or left. Finished surface shall be of a sanitary grade solid surface. Unit construction shall be of a molded reinforced fiberglass with a 15% minimum fiberglass content.

The unit shall have outside dimensions of 38" x 39" x 78 3/8". The unit shall meet IAPMOZ 124.1-2, CSA B45.5, HUD-UM73, and Home Innovation Research Lab.

NOTE: UNIT DOES NOT COMPLY WITH ADA, OR ICC/ANSI A117.1 GUIDELINES.

HANDED BY THE VALVE

The enclosure shall be equipped with the following accessories:

- 1) One 18" x 33 1/2 x 1 1/2" diameter 18 gauge stainless steel L-grab bar,
- 2) One 24" x 1 1/2" 18 gauge stainless steel grab bar vertical on the valve wall, both with 1 1/2" statute clearance, secured from the rear with stainless steel bolts and 3" x 3" x 11 gauge metal mounting plates,
- 3) Frameless 32" x 21" wood grain phenolic fold up seat,
- 4) Molded corner soap ledges,
- 5) One inch diameter stainless steel curtain rod with receiver cups,
- 6) Tile finish,
- 7) Diamond accents,
- 8) Lower leg ledge,
- 9) Armor core Easy Base bottom,
- 10) 5/8" Threshold.

OPTIONAL ACCESSORIES:

Factory Plumbing Install Option: YES NO

PB Pressure Balancing Mixing Valve

HH Hand held shower assembly with slide bar, vacuum breaker and 60" hose.

THIS UNIT FEATURES THE OUTSIDE DIMENSION OF 38" OF OVERALL WIDTH. THIS DOES NOT ALLOW FOR FULL ENCLOSURE OF THE BOLTS AND NUTS USED TO SECURE THE BARS AND SEAT IN PLACE. THE BOLT AND NUT COMBINATION SHOULD NOT PROTRUDE MORE THAN 3/4" ON EITHER SIDE OF THE SHOWER WALLS. THIS MAY REQUIRE THE NEED TO NOTCH STUDS TO ALLOW BOLT CLEARANCE FOR A DRYWALL ENCLOSED FIRE WALL INSTALLATION. ADJUSTMENT OF THE WALL BOARD MAY BE NECESSARY TO PROVIDE CLEARANCE OF THE BOLT(S) WHILE MAINTAINING THE INTEGRITY OF THE DRYWALL ENCLOSED FIRE WALL ENCLOSURE.

NOTE: THIS UNIT WILL NOT ACCEPT A DOOR.

Job Name	Approved By Print Name	Date	COMFORT DESIGNS	
Project No	Approved By Signature			
Comfort Designs 435 Industrial Road Savannah, TN 38372 tel 800.443.7269 fax 731.925.4290 www.comfortdesignsbathware.com	Architect		Model No. SST 3838 BF .625-I	
	Engineer		Drawing No. SST 3838 BF .625 SLB VSW WGPB CR VP EB	
	Rep		Date Issued. 4-3-12	Drawing Rev. 10-30-18
	Wholesaler		Material. Solid Surface	
	Comments			Color.
			Dimensions are in inches. Due to the nature of the materials dimensions may vary ± 1/2"	